































- MACKAY, D. (1979): Finding fugacity feasible. *Environ. Sci. Technol.* 13, 1218-1223.
- MACKAY, D. (1991): *The Fugacity Approach*. Multimedia Environmental Models. Lewis Publ., Michigan.
- MATTHIES, M.; WAGNER, J.-O. ; KOORMANN, F. (1997): Combination of Regional Exposure Models for European Rivers with GIS Information. In: *ECO-INFORMA Band 12: Information and Communication in Environmental and Health Issues*, 523-529.
- MATTHIES, M.; BEYER, A.; MACKAY, D. (1999): Long-range Transport Potential of PCB and PCDD/F and their Classification. *Organohalogen Compounds* 41, 347-351.
- OEHME, M. (1991): Further Evidence for Long-range Air Transport of Polychlorinated Aromates and Pesticides: North America and Eurasia to the Arctic. *Ambio* 20, 293-297.
- SCHULZE, C.; MATTHIES, M.; TRAPP, S.; SCHROEDER, F.R. (1999): Geographically Referenced Fate Modelling of LAS in the Stream Itter. *Chemosphere* 39, 1833-1852.
- SIMONICH, S.L.; HITES, R. (1995): Global Distribution of Persistent Organochlorine Compounds. *Science* 269, 1851-1854.
- TRAPP, S. ; MATTHIES M. (1996): *Dynamik von Schadstoffen - Umweltmodellierung mit CemoS. Eine Einführung*. Springer, Heidelberg.
- TRAPP, S.; MATTHIES M. (1998): *Chemodynamics and Environmental Modeling. An Introduction*. Springer, Heidelberg.
- TRENKLE, R.; MÜNZER, B.; MATTHIES, M.; BRÜGGEMANN, R. (1987): EXINT: Verknüpfung der Single-Medium-Modelle EXSOL, EXWAT und EXAIR zu einem Multi-Medienmodell. GSF-Bericht 32/87, Neuherberg.
- WANIA, F.; MACKAY, D. (1996): Tracking the Distribution of Persistent Organic Pollutants. *Environ. Sci. Technol.* 30, 390A-396A.
- WEBSTER, E.; MACKAY, D.; WANIA, F. (1998): Evaluating Environmental Persistence. *Environ. Toxicol. Chem.* 17, 2148-2158.

---

Prof. Dr. M. Matthies  
Universität Osnabrück  
Artilleriestr. 34 · D.49069 Osnabrück