References

[1] D. J. Armstrong. The quarks of object-oriented development. *Communications of the ACM*, 49(2):123–128, 2006.

[2] J. Behl, T. Distler, and R. Kapitza. Hybster — A highly parallelizable protocol for hybrid fault-tolerant service replication. `http://publikationsserver.tu-braunschweig.de/get/64440`.

[3] J. Behl, T. Distler, and R. Kapitza. Hybrids on steroids: SGX-based high performance BFT. In *Proceedings of the 12th European Conference on Computer Systems (EuroSys '17)*, 2017.

[4] C. Cachin, R. Guerraoui, and L. Rodrigues. *Introduction to Reliable and Secure Distributed Programming*. Springer Publishing Company, Incorporated, 2nd edition, 2011.

[5] M. Castro. *Practical Byzantine Fault-Tolerance*. PhD thesis, MIT, 2001.

[6] M. Castro and B. Liskov. A correctness proof for a practical Byzantine-fault-tolerant replication algorithm. Technical report, Cambridge, MA, USA, 1999.

[7] M. Castro and B. Liskov. Practical Byzantine fault tolerance. In *Proceedings of the 3rd Symposium on Operating Systems Design and Implementation (OSDI '99)*, pages 173–186, 1999.

[8] M. Castro and B. Liskov. Practical Byzantine fault tolerance and proactive recovery. *ACM Transactions on Computer Systems*, 20(4):398–461, Nov. 2002.

[9] C. Dwork, N. Lynch, and L. Stockmeyer. Consensus in the presence of partial synchrony. *Journal of the ACM*, 35(2):288–323, Apr. 1988.

[10] M. P. Herlihy and J. M. Wing. Linearizability: A correctness condition for concurrent objects. *ACM Transactions on Programming Languages and Systems*, 12(3):463–492, July 1990.

[11] N. A. Lynch. *Distributed Algorithms*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 1996.

[12] F. J. Meyer and D. K. Pradhan. Consensus with dual failure modes. In *Seventeenth International Symposium on Fault Tolerant Computing*, volume 2, pages 214–222, Apr. 1987.

[13] F. B. Schneider. Implementing fault-tolerant services using the state machine approach: A tutorial. *ACM Computing Surveys*, 22(4):299–319, 1990.

[14] P. Thambidurai and Y. keun Park. Interactive consistency with multiple failure modes. In *Proceedings of the 7th IEEE International Symposium on Reliable Distributed Systems (SRDS '88)*, pages 93–100, Oct. 1988.